


**TITAN**

# FABRICATED START UP STRAINERS

## TEMPORARY PLATE DESIGN



FLAT TYPE

### Models:

PS17-SS (STAINLESS)  
PS17-CS (CARBON)

### When Ordering, Specify:

1. Pipe Size
2. Pressure Rating
3. Perforation or Mesh Size
4. Material

Nominal Pipe Size	I.D.	O.D.			
		150/300# ANSI	600# ANSI	900# ANSI	1500# ANSI
3/4	3/4	2 <sup>1</sup> / <sub>8</sub>	2 <sup>1</sup> / <sub>2</sub>	2 <sup>5</sup> / <sub>8</sub>	2 <sup>5</sup> / <sub>8</sub>
1	1	2 <sup>1</sup> / <sub>2</sub>	2 <sup>3</sup> / <sub>4</sub>	3	3
1 <sup>1</sup> / <sub>2</sub>	1 <sup>1</sup> / <sub>2</sub>	3 <sup>1</sup> / <sub>4</sub>	3 <sup>5</sup> / <sub>8</sub>	3 <sup>3</sup> / <sub>4</sub>	3 <sup>3</sup> / <sub>4</sub>
2	2	4	4 <sup>1</sup> / <sub>4</sub>	5 <sup>1</sup> / <sub>2</sub>	5 <sup>1</sup> / <sub>2</sub>
2 <sup>1</sup> / <sub>2</sub>	2 <sup>1</sup> / <sub>2</sub>	4 <sup>3</sup> / <sub>4</sub>	5	6 <sup>3</sup> / <sub>8</sub>	6 <sup>3</sup> / <sub>8</sub>
3	3	5 <sup>1</sup> / <sub>4</sub>	5 <sup>3</sup> / <sub>4</sub>	6 <sup>1</sup> / <sub>2</sub>	6 <sup>3</sup> / <sub>4</sub>
4	4	6 <sup>3</sup> / <sub>4</sub>	7 <sup>1</sup> / <sub>2</sub>	8	8 <sup>1</sup> / <sub>8</sub>
5	5	7 <sup>5</sup> / <sub>8</sub>	9 <sup>3</sup> / <sub>8</sub>	9 <sup>5</sup> / <sub>8</sub>	9 <sup>7</sup> / <sub>8</sub>
6	6	8 <sup>5</sup> / <sub>8</sub>	10 <sup>3</sup> / <sub>8</sub>	11 <sup>1</sup> / <sub>4</sub>	11
8	8	10 <sup>7</sup> / <sub>8</sub>	12 <sup>1</sup> / <sub>2</sub>	14	13 <sup>3</sup> / <sub>4</sub>
10	10	13 <sup>1</sup> / <sub>4</sub>	15 <sup>5</sup> / <sub>8</sub>	17	17
12	12	16	17 <sup>7</sup> / <sub>8</sub>	19 <sup>1</sup> / <sub>2</sub>	20 <sup>3</sup> / <sub>8</sub>
14	13 <sup>1</sup> / <sub>4</sub>	17 <sup>3</sup> / <sub>8</sub>	19	20 <sup>3</sup> / <sub>8</sub>	22 <sup>5</sup> / <sub>8</sub>
16	15 <sup>1</sup> / <sub>4</sub>	20 <sup>1</sup> / <sub>8</sub>	21 <sup>7</sup> / <sub>8</sub>	22 <sup>1</sup> / <sub>2</sub>	--
18	17 <sup>1</sup> / <sub>4</sub>	21 <sup>1</sup> / <sub>4</sub>	23 <sup>3</sup> / <sub>4</sub>	25	--
20	19 <sup>1</sup> / <sub>4</sub>	23 <sup>1</sup> / <sub>2</sub>	26 <sup>5</sup> / <sub>8</sub>	--	--
24	23 <sup>1</sup> / <sub>4</sub>	27 <sup>7</sup> / <sub>8</sub>	30 <sup>7</sup> / <sub>8</sub>	--	--

### Larger Sizes Available- C/F

1. Normally Supplied with 1/8" Dia. Holes on 3/16" Centers- Available in All Sizes With a Variety of Perforations and Mesh.
2. Carbon Steel, Stainless Steel, and Other Alloys Available.
3. For Ring Type Joint - Specify Ring Number and Style.
4. Contact Our Engineering Department for Special Designs and Lengths.

Titan - Flow Control, Inc.  
PO Box 7408  
Lumberton, NC 28358-0111

Phone: 910-735-0000  
Fax: 910-738-3848  
E-Mail: [titanfci@earthlink.net](mailto:titanfci@earthlink.net)