spirax /sarco[®]

No. 8 Liquid Expansion Steam Trap

The No. 8 Fixed Temperature Liquid Expansion Thermostatic Steam Trap has an oil-filled element set to operate at a fixed temperature. It is easily adjusted to discharge condensate at any temperature between 140° and 212°F (60° and 100°C).

Model ⊄>	No. 8	
РМО	250 psig	
Sizes	1/2"	
Connections	NPT	
Construction	Bronze Body Brass & Stainless Seel Internals	
Options	BSP connections	

Typical Applications

Simple temperature control applications.

Note: Suitable fail safe precautions must be taken.

Steam trapping applications where it is desireable to subcool the condensate below 212°F.



No. 8 adjustable in door process temperature control and condensate drainage.

Cons	truction	Materials	

No.	Part	Material	
1	Adjustment Nut	Brass	BS 2872 CZ 122
2	Overload Spring	Stainless Steel	AISI 302
3	Element Nut	Brass	BS 2872 CZ 122
_4	Washer	Brass	BS 2870 CZ 108
5	Adjustment Locknut	Brass	BS 2872 CZ 122
6	Guide Screw	Brass	BS 2872 CZ 108
7	Body	Gunmetal Bronze	Type B62
8	Element	Brass	
9	Valve	Stainless Steel	AISI 431
10	Valve Seat Gasket	Copper	BS 2870 CZ 101
11	Valve Seat	Stainless Steel	AISI431

Limiting Operating Conditions

Max. Operating Pressure (PMO) 250 psig(17 barg)

Max. Operating Temperature $450^{\circ} F (232^{\circ} C)$

Pressure Shell Design Conditions

PMA	362 psig/up to 248°F 2	5 barg/up to 120°C
Max. allowable	282 psig/416°F	19 barg/213°C
pressure	152 psig/0-500°F	10.5 barg/0-260°C
TMA Max. allowable temper	500°F/0-152 psig rature	260°C/0-10.5 barg

Local regulation may restrict the use of this product below the conditions quoted. Limiting conditions refer to standard connections only. In the interests of development and improvement of the product, we reserve the right to change the specification.

TIS 2.200 US 07.02

No. 8 Liquid Expansion Steam Trap

Capacities

Capacity shown is based on a trap with the adjustment 3 turns open and handling condensate at 176°F 80°C.





Installation

The No. 8 functions both as steam trap and simple temperature regulator. Where over temperature due to element failure could cause risk to people or process, a failsafe backup safety control should be fitted. A 'Y' strainer should be installed upstream of the trap. For fixed temperature discharge, the No. 8 trap should be installed with the inlet below the equipment being drained. The outlet should always be above the trap. On indoor process applications outside freezing application outlet should be rotated down for full drainage. Full-port isolating valves should be installed upstream and downstream of the trap.

Sample Specification

Steam traps shall be of the liquid expansion type, having bronze bodies with screwed connections and stainless steel trim. Condensate discharge temperature shall be adjustable within the range specified while traps are in service.

Maintenance

The No. 8 trap 140°-212°F range is repairable. Complete isolation of the trap from both supply and return line is required before any servicing is performed. The trap should be disassembled periodically for inspection and cleaning of the valve head and seat. Worn or damaged parts should be replaced using a complete element set (range 140° - 212°F only).

If the thermostat becomes inoperative, the cimplet No. 8 must be replaced. Complete installation and maintenance instructions are given in the IMI sheet, which accompanies the product.



TIS 2.200 US 07.02

Spirax Sarco, Inc., 1150 Northpoint Blvd, Blythewood, SC 29016

Telephone: (803) 714-2000 FAX (803) 714-2222

Liquid Expansior