




Reducing 90° Elbows
STANDARD WEIGHT
 Inches / Pounds



Nominal Pipe Size	Center To End (A)	Weight In Pounds
2 X 1	3.00	1.2
2 X 1 1/4	3.00	1.3
2 X 1 1/2	3.00	1.4
2 1/2 X 1 1/4	3.75	2.5
2 1/2 X 1 1/2	3.75	2.6
2 1/2 X 2	3.75	2.8
3 X 1 1/2	4.50	3.3
3 X 2	4.50	3.6
3 X 2 1/2	4.50	4.2
3 1/2 X 2	5.25	4.5
3 1/2 X 2 1/2	5.25	5.5
3 1/2 X 3	5.25	6
4 X 2	6.00	6
4 X 2 1/2	6.00	6.8
4 X 3	6.00	7.7
4 X 3 1/2	6.00	8.4
5 X 2 1/2	7.50	10.7
5 X 3	7.50	11.8
5 X 3 1/2	7.50	12.6
5 X 4	7.50	13.4
6 X 3	9.00	16.8
6 X 3 1/2	9.00	17.8
6 X 4	9.00	18.9
6 X 5	9.00	21
8 X 4	12.00	33.1
8 X 5	12.00	36.2


8 X 6	12.00	39.7
10 X 5	15.00	58.5
10 X 6	15.00	63.2
10 X 8	15.00	73
12 X 6	18.00	86.5
12 X 8	18.00	98.4
12 X 10	18.00	113

* This Size and thickness does not correspond to any pipe schedule number.

- Dimensions conform to ASME B16.9 & material conforms to ASTM A-234 Grade B

Reducing 90° Elbows

EXTRA STRONG
Inches / Pounds



Nominal Pipe Size	Center To End (A)	Weight In Pounds
2 X 1	3.00	1.7
2 X 1 1/4	3.00	1.8
2 X 1 1/2	3.00	1.9
2 1/2 X 1 1/4	3.75	2.9
2 1/2 X 1 1/2	3.75	3
2 1/2 X 2	3.75	3.4
3 X 1 1/2	4.50	4.5
3 X 2	4.50	4.9
3 X 2 1/2	4.50	5.7
3 1/2 X 2	5.25	6.4
3 1/2 X 2 1/2	5.25	7.3
3 1/2 X 3	5.25	8.2
4 X 2	6.00	8.4
4 X 2 1/2	6.00	9.4
4 X 3	6.00	10.5
4 X 3 1/2	6.00	11.4
5 X 2 1/2	7.50	15.1
5 X 3	7.50	16.5
5 X 3 1/2	7.50	17.4
5 X 4	7.50	18.8
6 X 3	9.00	24.9

6 X 3 1/2	9.00	26.3
6 X 4	9.00	27.9
6 X 5	9.00	31.4
8 X 4	12.00	49.5
8 X 5	12.00	54.3
8 X 6	12.00	60.8
10 X 5	15.00	78.5
10 X 6	15.00	86.5
10 X 8	15.00	102
12 X 6	18.00	114
12 X 8	18.00	132
12 X 10	18.00	148

* This Size and thickness does not correspond to any pipe schedule number.

- Dimensions conform to ASME B16.9 & material conforms to ASTM A-234 Grade B