





Concentric & Eccentric Reducers

EXTRA STRONG

Inches / Pounds



Concentric



Eccentric

Nominal Pipe Size	Length (H)	Weight in Pounds
1 1/4 x 1/2	2	0.53
1 x 3/4	2	0.43
1 x 1/2	2	0.42
3/4 x 1 1/2	1.5	0.25
1 1/2 x 1 1/4	2.5	0.78
1 1/2 x 1	2.5	0.72
1 1/2 x 3/4	2.5	0.65
1 1/4 x 1/2	2.5	0.65
1 1/4 x 1	2	0.57
1 1/4 x 3/4	2	0.53
2 1/2 x 2	3.5	2.1
2 1/2 x 1 1/2	3.5	1.9
2 1/2 x 1 1/4	3.5	1.7
2 1/2 x 1	3.5	1.5
2 1/2 x 12 x 1 1/2	3	1.2
2 x 1 1/4	3	1.1
2 x 1	3	1.0
2 x 3/4	3	0.94
3 1/2 x 3	4	4.1
3 1/2 x 2 1/2	4	3.7
3 1/2 x 2	4	3.5
3 1/2 x 1 1/2	4	3.3
3 1/2 x 1 1/2	4	3.3
3 1/2 x 1 1/4	4	3.3
3 x 2 1/2	3.5	2.8
3 x 2	3.5	2.6

3 x 1 1/2	3.5	2.4
3 x 1 1/4	3.5	2.3
3 x 1	3.5	2.2
4 x 3 1/2	4	4.9
4 x 3	4	4.7
4 x 2 1/2	4	4.6
4 x 2	4	4.3
4 x 1 1/2	4	4.2
4 x 1 1/4	4	4.1
4 x 1	4	4
5 x 4	5	7.5
5 x 3 1/2	5	6.9
5 x 3	5	6.3
5 x 2 1/2	5	6.1
5 x 2	5	6
6 x 5	5.5	11.5
6 x 4	5.5	10.7
6 x 3 1/2	5.5	10
6 x 3	5.5	9.7
6 x 2 1/2	5.5	9.1
6 x 2	5.5	8.6
8 x 6	6	18.8
8 x 5	6	17.6
8 x 4	6	17
8 x 3 1/2	6	15.9
8 x 3	6	15
10 x 8	8	29.4
10 x 6	7	28.3
10 x 5	7	26.9
10 x 4	7	24.2
12 x 10	8	41.5
12 x 8	8	38.6
12 x 6	8	37.4
12 x 5	8	36.3
12 x 4	8	34.7
14 x 12	13	81
14 x 10	13	76.7
14 x 8	13	74.6
14 x 6	13	72.3
16 x 14	14	98
16 x 12	14	95.8
16 x 10	14	93.3
16 x 8	14	91.1
16 x 6	14	89.8
18 x 16	15	118
18 x 14	15	117
18 x 12	15	115
18 x 10	15	113
20 x 18	20	162
20 x 16	20	159
20 x 14	20	157
20 x 12	20	155
20 x 10	20	152
24 x 20	20	201
24 x 18	20	197

24 x 16	20	194
30 x 24	24	315
30 x 20	24	315
30 x 18	24	315
36 x 30	24	379
36 x 24	24	379
36 x 20	24	379
42 x 36	24	443
42 x 30	24	443
42 x 24	24	443
48 x 42	28	525
48 x 36	28	525
48 x 30	28	525

* This Size and thickness does not correspond to any pipe schedule number.

1. Dimensions conform to ASME B16.9 & material conforms to ASTM A-234 Grade B
2. All reducers above 24" are conical in shape.